JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 50

AUTHOR INDEX

		No.	Page
1.	ALPERT, S. P., Trilobite and star-like trace fossils from the White-Inyo Mountains, California	2	226
	ANTELO, B., see ISAACSON, P. E. (47)		
2.	ASH, S. R., Occurrence of the controversial plant fossil *Sanmiguelia* in the Upper Triassic of Texas	5	799
	AUSICH, W. I., see LAPHAM, K. E. (58)		
	AWOTUA, E. E. B., see FELDMANN, R. M. (28)		
3.	BASSETT, M. G., The authorship of some suprageneric taxa of brachiopods (paleontological note)	2	344
4.	BELL, B. M., and M. S. PETERSEN, An edrioasteroid from the Guilmette Formation at Wendover, Utah-Nevada	4	577
5.	BELL, B. M., Phylogenetic implications of ontogenetic development in the class Edrioasteroidea (Echinodermata)	6	1001
6.	BERMAN, D. S, A new amphisbaenian (Reptilia: Amphisbaenia) from the Oligocene-Miocene John Day Formation, Oregon	1	165
7.	BERMAN, D. S, Cranial morphology of the lower Permian lungfish *Gnathorhiza* (Osteichthyes: Dipnoi)	6	1020
8.	BERMAN, D. S, Occurrence of *Gnathorhiza* (Osteichthyes: Dipnoi) in aestivation burrows in the lower Permian of New Mexico with description of a new species	6	1034
	BERMUDEZ, P. J., see SEIGLIE, G. A. (101)		
	BETRAND, R., see LESPERANCE, P. J. (60)		
	BEUS, S. S., see BREW, D. C. (12)		
9.	BISHOP, G. A., *Ekalakia lamberti* n. gen., n. sp. (Crustacea, Decapoda) from the Upper Cretaceous Pierre Shale of eastern Montana	3	399
10.	BOARDMAN, R. S., and R. K. MCKINNEY, Skeletal architecture and preserved organs of four-sided zooids in convergent genera of paleozoic Trepostomata (Bryozoa)	1	25
11.	BONAPARTE, J. F., *Pisanosaurus mertii* Casamiquela and the origin of the Ornithischia	5	808
	BOUCOT, A. J., see ISAACSON, P. E. (47)		
12.	BREW, D. C., and S. S. BEUS, A Middle Pennsylvanian fauna from the Naco Formation near Kohl Ranch, central Arizona	5	888
13.	BREYER, J., Titanotylopus (= Gigantocamelus) from the Great Plains Cenozoic	5	783
14.	BROWN, J. T., and C. R. ROBISON, Observations on the structure of *Marchantiolites blairmorensis* (Berry) n. comb. from the Lower Cretaceous of Montana, U.S.A.	2	309
15.	COFFIN, H. G., Orientation of trees in the Yellowstone Petrified Forests	3	539
16.	CONGER, S. D., and H. W. GREEN II, Preparation of thin-foil specimens for transmission electron microscopy of microorganism tests	5	795
17.	COOPER, B. J., Multielement conodonts from the St. Clair Limestone (Silurian) of southern Illinois	2	205
18.	COOPER, G. A., Lower Cambrian brachiopods from the Rift Valley (Israel and Jordan)	2	269
19.	CURRAN, H. A., A trace fossil brood structure of probable callianassid origin	2	249
20.	DEUTSCH, S., and J. H. LIPPS, Test structure of the foraminifer *Carterina*	2	312
	DINELEY, D. L., see MURPHY, M. A. (79)		
21.	DIXON, J., Corallite increase and a new corallite type in Upper Ordovician cateniform corals	5	916
22.	DODSON, P., Quantitative aspects of relative growth and sexual dimorphism in Protoceratops	5	929
23.	DUNHAM, J. B., and M. A. MURPHY, An occurrence of well preserved Radiolaria from the Upper Ordovician (Caradocian), Eureka County, Nevada	5	882
	DYSON-COBB, M., see RICHARDS, R. P. (91)		
24.	ESTES, R., Middle Paleocene lower vertebrates from the Tongue River Formation, southeastern Montana	3	500

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 50

AUTHOR INDEX

		No.	Page
1.	ALPERT, S. P., Trilobite and star-like trace fossils from the White-Inyo Mountains, California	2	226
	ANTELO, B., see ISAACSON, P. E. (47)		
2.	ASH, S. R., Occurrence of the controversial plant fossil *Sanmiguelia* in the Upper Triassic of Texas	5	799
	AUSICH, W. I., see LAPHAM, K. E. (58)		
	AWOTUA, E. E. B., see FELDMANN, R. M. (28)		
3.	BASSETT, M. G., The authorship of some suprageneric taxa of brachiopods (paleontological note)	2	344
4.	BELL, B. M., and M. S. PETERSEN, An edrioasteroid from the Guilmette Formation at Wendover, Utah-Nevada	4	577
5.	BELL, B. M., Phylogenetic implications of ontogenetic development in the class Edrioasteroidea (Echinodermata)	6	1001
6.	BERMAN, D. S, A new amphisbaenian (Reptilia: Amphisbaenia) from the Oligocene-Miocene John Day Formation, Oregon	1	165
7.	BERMAN, D. S, Cranial morphology of the lower Permian lungfish *Gnathorhiza* (Osteichthyes: Dipnoi)	6	1020
8.	BERMAN, D. S, Occurrence of *Gnathorhiza* (Osteichthyes: Dipnoi) in aestivation burrows in the lower Permian of New Mexico with description of a new species	6	1034
	BERMUDEZ, P. J., see SEIGLIE, G. A. (101)		
	BETRAND, R., see LESPERANCE, P. J. (60)		
	BEUS, S. S., see BREW, D. C. (12)		
9.	BISHOP, G. A., *Ekalakia lamberti* n. gen., n. sp. (Crustacea, Decapoda) from the Upper Cretaceous Pierre Shale of eastern Montana	3	399
10.	BOARDMAN, R. S., and R. K. MCKINNEY, Skeletal architecture and preserved organs of four-sided zooids in convergent genera of paleozoic Trepostomata (Bryozoa)	1	25
11.	BONAPARTE, J. F., *Pisanosaurus mertii* Casamiquela and the origin of the Ornithischia	5	808
	BOUCOT, A. J., see ISAACSON, P. E. (47)		
12.	BREW, D. C., and S. S. BEUS, A Middle Pennsylvanian fauna from the Naco Formation near Kohl Ranch, central Arizona	5	888
13.	BREYER, J., Titanotylopus (= Gigantocamelus) from the Great Plains Cenozoic	5	783
14.	BROWN, J. T., and C. R. ROBISON, Observations on the structure of *Marchantiolites blairmorensis* (Berry) n. comb. from the Lower Cretaceous of Montana, U.S.A.	2	309
15.	COFFIN, H. G., Orientation of trees in the Yellowstone Petrified Forests	3	539
16.	CONGER, S. D., and H. W. GREEN II, Preparation of thin-foil specimens for transmission electron microscopy of microorganism tests	5	795
17.	COOPER, B. J., Multielement conodonts from the St. Clair Limestone (Silurian) of southern Illinois	2	205
18.	COOPER, G. A., Lower Cambrian brachiopods from the Rift Valley (Israel and Jordan)	2	269
19.	CURRAN, H. A., A trace fossil brood structure of probable callianassid origin	2	249
20.	DEUTSCH, S., and J. H. LIPPS, Test structure of the foraminifer *Carterina*	2	312
	DINELEY, D. L., see MURPHY, M. A. (79)		
21.	DIXON, J., Corallite increase and a new corallite type in Upper Ordovician cateniform corals	5	916
22.	DODSON, P., Quantitative aspects of relative growth and sexual dimorphism in Protoceratops	5	929
23.	DUNHAM, J. B., and M. A. MURPHY, An occurrence of well preserved Radiolaria from the Upper Ordovician (Caradocian), Eureka County, Nevada	5	882
	DYSON-COBB, M., see RICHARDS, R. P. (91)		
24.	ESTES, R., Middle Paleocene lower vertebrates from the Tongue River Formation, southeastern Montana	3	500

25. ETHINGTON, R. L., Catalogue of Conodonts, V. 1, by Gilbert Klapper, Maurits Lindstrom, W. C. Sweet, and Willi Ziegler (review) 2 360
26. FARLOW, J. O., Two endocranial casts of *Fajumia schweinfurthi* (Teleostei: Siluridae) from the Qasr El Sagha Formation (Late Eocene) of Egypt 3 536
27. FELDMANN, R. M., and T. W. KAMMER, *Crassatellina hollandi* n. sp. (Bivalvia: Astartidae) from the Fox Hills Formation (Maastrichtian, Cretaceous) of North Dakota and South Dakota 3 481
28. FELDMANN, R. M., E. E. B. AWOTUA, and J. WELSHENBAUGH, *Necrocarcinus siouxensis* a new species of calappid crab (Crustacea: Decapoda) from the Fox Hills Formation (Cretaceous: Maastrichtian) of North Dakota 5 985
29. FLEISCHER, G., Hearing in extinct cetaceans as determined by cochlear structure . 1 133
FLOWER, R. H., see HOOK, S. C. (45)
FORTEY, R. A., see MORRIS, N. J. (76)
30. GALTON, P. M., The dinosaur *Vectisaurus valdensis* (Ornithischia: Iguanodontidae) from the Lower Cretaceous of England 5 976
31. GIVENS, C. R., and M. P. KENNEDY, Middle Eocene mollusks from northern San Diego County, California 5 954
32. GOLUBIC, S., and H. J. HOFMANN, Comparison of Holocene and Mid-Precambrian Entophysalidaceae (Cyanophyta) in stromatolitic algal mats: cell division and degradation 6 1074
GORDON, M., JR., see YOCHELSON, E. L. (134)
33. GORDON, W. A., Ammonoid provincialism in space and time 3 521
34. GRANT, R. E., Permian brachiopods from southern Thailand (Memoir 9) ..... 3 (II)
GREEN, H. W., II, see CONGER, S. D. (16)
GUTSCHICK, R. C., see RIGBY, J. K. (93)
35. HAAS, O., Recent literature on Mesozoic ammonites, Part XVII 5 941
HALSETH, M. A., see OSSIAN, C. R. (87)
36. HARPER, C. W., JR., Phylogenetic inference in Paleontology 1 180
37. HARPER, H., and G. F. HART, Statistical evaluation of the distribution of Miocene-Pliocene siliceous phytoplankton, D.S.D.P. hole 71 Equatorial Pacific 6 1083
HART, G. F., see HARPER, H. (37)
38. HENRY, V. J., Paleoecological aspects of a modern coastal lagoon, by John E. Warme (review) 3 546
39. HICKMAN, C. S., Pleurotomaria (Archaeogastropoda) in the Eocene of the northeastern Pacific: a review of Cenozoic biogeography and ecology of the genus 6 1090
40. HIRSCHFELD, S. E., A new fossil anteater (Edentata, Mammalia) from Columbia, S.A., and evolution of the Vermilingua 3 419
41. HIRSCHFELD, S. E., and L. G. MARSHALL, Revised faunal list of the La Venta Fauna (Friasian-Miocene) of Columbia, South America 3 433
42. HOARE, R. D., and M. T. STURGEON, Echinoid remains from the Pennsylvanian Vanport Limestone (Allegheny Group), Ohio 1 13
43. HOARE, R. D., and M. T. STURGEON, *Arcochiton raymondi* n. gen., n. sp. of polyplacophoran from the Pennsylvanian of Ohio 5 841
HODGKINSON, K. A., see NASSICHUK, W. W. (80)
44. HOFMANN, H. J., Precambrian microflora, Belcher Islands, Canada: significance and systematics 6 1040
HOFMANN, H. J., see GOLUBIC, S. (32)
45. HOOK, S. C., and R. H. FLOWER, *Tajaroceras* and the origin of the Troedssonellidae 2 293
46. HOWARD, J. H., III, Lebensspuren produced by insect wings 5 833
47. ISAACSON, P. E., Implications of Llandovery (Early Silurian) brachiopod fauna from Salta Province, Argentina 6 1103
JANSA, L. F., see RIDING, R. (92)
48. JEFFORDS, R. M., and G. WILDE, A Handbook of the Stratigraphy and Paleontology in Southwest China, edited by Nanking Institute of Geology and Paleontology (review) 3 545
49. JOHNSON, J. G., *Antistrix* (Middle Devonian brachiopod) is a terebratulid (paleontological note) 2 355
50. JOHNSON, J. G., *Chattertonia* n. gen. (Brachiopoda), the chonetid-productid link . 5 789
51. JOHNSON, J. G., and G. W. KENDALL, Late Early Devonian brachiopods and biofacies from central Nevada 6 1113
52. JULL, R. K., Septal development during hystero-ontogeny in the Ordovician tabulate coral *Foerstephyllum* 3 381
KAMMER, T. W., see FELDMANN, R. M. (27)
53. KATZ, S. G., Restoration of the vertebrate fossil collection of the University of Missouri at Columbia 1 194

54. KELLY, M. A., and R. ZANGERL, *Helicoprion* (Edestidae) in the Permian of west Texas (paleontological note) 5 992
KENDALL, G. W., see JOHNSON, J. G. (51)
KENNEDY, M. P., see GIVENS, C. R. (31)
55. KOLATA, D. R., Crinoids from the Upper Ordovician Bighorn Formation of Wyoming 3 445
56. LANDING, E., Early Ordovician (Arenigian) conodont and graptolite biostratigraphy of the Taconic allochthon, eastern New York 4 614
57. LANE, N. G., A crinoid tegmen composed of holothurian sclerites 2 241
LANE, N. G., see LAPHAM, K. E. (58)
LANE, N. G., see MEYER, D. L. (73)
58. LAPHAM, K. E., W. I. AUSICH, and N. G. LANE, A technique for developing the stereom of fossil crinoid ossicles 2 245
59. LAWSON, D. A., *Tyrannosaurus* and *Torosaurus*, Maestrichtian dinosaurs from Trans-Pecos, Texas 1 158
60. LESPERANCE, P. J., and R. BETRAND, Population systematics of the middle and Upper Ordovician trilobite *Cryptolithus* from the St. Lawrence lowlands and adjacent areas of Quebec 4 598
LEVIN, H. L., see SHOURD, M. L. (103)
61. LEWIS, S. E., Lepidopterous feeding damage of live oak leaf (*Quercus convexa* Lesquereux) from the Ruby River Basin (Oligocene) of southwestern Montana (paleontological note) 2 345
62. LILLEGRAVEN, J. A., A new genus of therian mammal from the Late Cretaceous "El Gallo Formation," Baja California, Mexico 3 437
LIPPS, J. H., see DEUTSCH, S. (20)
63. LOEBLICH, A. R., JR., and H. TAPPAN, Some new and revised organic-walled phytoplankton microfossil genera 2 301
LOGAN, A., see WEBB, G. R. (128)
64. MACDONALD, J. R., and L. MACDONALD, *Barbourofelis fricki* from the early Hemphillian of Nevada 5 792
MACDONALD, L., see MACDONALD, J. R. (64)
65. MACINTYRE, G. T., A simplified method for X-ray stereographs of small specimens (paleontological note) 2 357
66. MACURDA, D. B., and D. L. MEYER, The morphology and life habits of the abyssal crinoid *Bathycrinus aldrichianus* Wyville Thomson and its paleontological implications 4 647
MARCUS, L. F., see WOODARD, G. D. (130)
67. MARSHALL, L. G., Paleontological salvage and federal legislation (paleontological note) 2 346
68. MARSHALL, L. G., New didelphine marsupials from the La Venta Fauna (Miocene) of Colombia, South America 3 402
69. MARSHALL, L. G., Fossil localities for Santacrucian (early Miocene) mammals, Santa Cruz Province, southern Patagonia, Argentina 6 1129
MARSHALL, L. G., see HIRSCHFELD, S. E. (41)
70. MARTIN, R. A., and R. TEDESCO, *Ondatra annectens* (Mammalia: Rodentia) from the Pleistocene Java Local Fauna of South Dakota 5 846
71. MASTERS, B. A., Planktic Foraminifera from the Upper Cretaceous Selma Group, Alabama 2 318
72. *Esthonyx* in the upper faunal assemblage, Heurfano Formation, Eocene of Colorado 2 354
McKINNEY, F. K., see BOARDMAN, R. S. (10)
73. MEYER, D. L., and N. G. LANE, The feeding behavior of some Paleozoic crinoids and Recent basketstars 3 473
MEYER, D. L., see MACURDA, D. B., JR. (66)
74. MILLER, C. N., JR., Two new pinaceous cones from the Early Cretaceous of California 5 821
75. MILLER, R. H., and E. A. PADEN, Upper Cambrian stratigraphy and conodonts from eastern California 4 590
MORGAN, T. G., see MURPHY, M. A. (79)
76. MORRIS, N. J., and R. A. FORTEY, The significance of *Tironucla* gen. nov. to the study of bivalve evolution 4 701
77. MORRIS, P. A., Middle Pliocene temperature implications based on the bryozoa *Hippothoa* (Cheilostomata-Ascophora) 6 1142
78. MOUNT, J. D., A new species of *Fulgoraria* (Mollusca: Gastropoda) from the Paleocene of southern California 1 87

79. MURPHY, M. A., T. G. MORGAN, and D. L. DINELEY, *Astrolepis* sp. from the Upper Devonian of central Nevada 3 467
MURPHY, M. A., see DUNHAM, J. B. (23)
80. NASSICHUK, W. W., and K. A. HODGKINSON, Scaphopods from the Permian Assistance Formation, Canadian Arctic Archipelago 6 1150
81. NITECKI, M. H., and F. R. SCHRAM, *Etacystis communis*, a fossil of uncertain affinities from the Mazon Creek fauna (Pennsylvanian of Illinois) 6 1157
NOBLE, J. P. A., see WEBB, G. R. (128)
82. OEHLER, D. Z., Transmission electron microscopy of organic microfossils from the late Precambrian Bitter Springs Formation of Australia: techniques and survey of preserved ultrastructure 1 90
OEHLER, D. Z., see WALTER, M. R. (125)
83. OEHLER, J. H., Possible silicified algae from the late Precambrian Waterton Formation of Canada 5 778
OEHLER, J. H., see WALTER, M. R. (125)
84. OLIVER, W. A., JR., Biogeography of Devonian rugose corals 3 365
OLIVER, W. A., JR., see SORAUF, J. E. (106)
85. ORMISTON, A. R., New Middle Devonian trilobites from northwestern Canada .. 6 1162
86. OSSIAN, C. R., Redescription of *Megactenopetalus kaibabanus* David 1944 (Chondrichthyes: Petalodontidae) with comments on its geographic and stratigraphic distribution 3 392
87. OSSIAN, C. R., and M. A. HALSETH, Discovery of Ordovician vertebrates in the Arbuckle Mountains of Oklahoma 5 773
88. PABIAN, R. K., and H. L. STRIMPLE, Middle Devonian crinoids from western Maryland 4 759
PADEN, E. A., see MILLER, R. H. (75)
PETERSEN, M. S., see BELL, B. M. (4)
89. PITRAT, C. W., Invertebrate Zoology, 3rd ed., by Robert D. Barnes (review) .. 4 763
90. POJETA, J., JR., Alcheringa (The New Australian Journal of Paleontology.), Geological Society of Australia (review) 3 544
91. RICHARDS, R. P., and M. DYSON-COBB, A *Lingula-Heliolites* association from the Silurian of Gotland, Sweden 5 858
92. RIDING, R., and L. F. JANSA, Devonian occurrence of *Uraloporella* (?foraminifer) in the Canning Basin, western Australia 5 805
93. RIGBY, J. K., and R. C. GUTSCHICK, Two new lower Paleozoic hexactinellid sponges from Utah and Oklahoma 1 79
ROBISON, C. R., see BROWN, J. T. (14)
94. ROHR, D. M., Silurian predator borings in the brachiopod *Dicaelosia* from the Canadian Arctic 6 1175
95. ROSS, J. T. P., Body wall ultrastructure of living cyclostome ectoprocts 2 350
96. SAHNI, A., and V. C. SRIVASTAVA, Eocene rodents and associated reptiles from the Subathu Formation of northwestern India 5 922
97. SAUL, L. R., Reinterpretation of hinge structures of two Devonian Bivalvia: *Congeriomorpha* and *Tusayana* 1 153
98. SAVAGE, N. M., Middle Devonian species of *Polygnathus* from the Kennett Formation, northern California 3 374
99. SAVAGE, N. M., Lower Devonian (Gedinnian) conodonts from the Grouse Creek area, Klamath Mountains, northern California 6 1180
100. SCHRAM, R. F., *Peachocaris*, a new name for *Peachella* Schram, 1974, *non* Walcott, 1910 (taxonomic note) 5 994
SCHRAM, F. R., see NITECKI, M. H. (81)
101. SEIGLIE, G. A., and P. J. BERMUDEZ, Emended description of the foraminiferal genus *Pannellaina* subst. name, formerly *Fastigiella* Seiglie & Bermudez, 1965 not Reeve, 1848 ..... 2 291
102. SHEEHAN, P. M., Late Silurian brachiopods from northwestern Utah 4 710
103. SHOURD, M. L., and H. L. LEVIN, *Chondrites* in the upper Plattin Subgroup (Middle Ordovician) of eastern Missouri 2 260
104. SHOURD, M. L., and H. F. WINTER, A new species of *Porocrinus* from the Middle Ordovician Plattin limestone of Missouri 6 1191
105. SINGH, R. J., Eden Shale Bryozoans: A Numerical Study (Ordovician, Ohio Valley), by Robert L. Anstey and T. G. Perry (review) 2 359
106. SORARF, J. E., and W. A. OLIVER, JR., Septal carinae and microstructure in middle Devonian *Heliophyllum* (Rugosa) 2 331
107. SQUIRES, R. L., Color pattern of *Naticopsis* (*Naticopsis*) *wortheniana*, Buckhorn asphalt deposit, Oklahoma (paleontological note) 2 349
SRIVASTAVA, V. C., see SAHNI, A. (96)
108. STITT, J. H., Functional morphology and life habits of the late Cambrian trilobite *Stenophilus pronus* Raymond 4 561

109. STRIMPLE, H. L., *Petalambicrinus*, a new inadunate crinoid genus from the Missourian of Texas 5 865
110. STRIMPLE, H. L., and T. E. YANCEY, *Moscovicrinus* preserved in magnetite from Selumar, Belitung Island, Indonesia 6 1195
STRIMPLE, H. L., see PABIAN, R. K. (88)
STURGEON, M. T., see HOARE, R. D. (42)
STURGEON, M. T., see HOARE, R. D. (43)
111. SUTTON, J. F., Fossil Vertebrates of Africa, Volume 3, edited by L. S. B. Leakey, R. J. G. Savage, and S. C. Coryndon (review) 1 200
112. SWAIN, F. M., Lower and middle? Cretaceous Ostracoda from the Atlantic Ocean off Guiana and off West Africa 4 734
TAPPAN, H., see LOEBLICH, A. R., JR. (68)
113. TASCH, P., Jurassic nonmarine trace fossils (Transantarctic Mountains) and the food web 4 754
114. TAYLOR, M. E., Indigenous and redeposited trilobites from late Cambrian basinal environments of central Nevada 4 668
TEDESCO, R., see MARTIN, R. A. (70)
115. TEICHERT, C., From Karpinsky to Schindewolf—memories of some great paleontologists 1 1
116. TEICHERT, C., Gondwana Geology. Papers Presented at the Third Gondwana Symposium, Canberra, Australia, 1973, edited by K. S. W. Campbell, 1975 ..... 4 764
117. THOMAS, R. D. K., Gastropod predation on sympatric neogene species of *Glycymeris* (Bivalvia) from the eastern United States 3 489
118. THOMSON, K. S., The faunal relationships of Rhipidistian fishes (Crossopterygii) from the Catskill (Upper Devonian) of Pennsylvania 6 1203
119. TIPPER, J. C., A method for the quantitative estimation of the faunal content of well cemented fossiliferous rocks 1 175
120. TITUS, R., Fossil communities of the lower Trenton Group (Middle Ordovician) of central and northwestern New York state 6 1209
121. TODD, T. N., Pliocene occurrence of the Recent atherinid fish *Colpichthys regis* in Arizona 3 463
122. VAN VALEN, L., Note on the origin of multituberculates (Mammalia) paleontological note) 1 198
123. WAAGE, J. K., Insect remains from ground sloth dung (paleontological note) .. 5 991
124. WAGNER, H., A new species of *Pliotaxidea* (Mustelidae: Carnivora) from California 1 107
125. WALTER, M. R., J. H. OEHLER, AND D. Z. OEHLER, Megascopic algae 1300 million years old from the Belt Supergroup, Montana: A reinterpretation of Walcott's *Helminthoidichnites* 5 872
126. WARD, P. D., Upper Cretaceous ammonites (Santonian-Campanian) from Orcas Island, Washington 3 454
127. WARME, J. E., Principles of Benthic Community Analysis (Notes for a Short Course) by A. M. Ziegler, K. R. Walker, E. J. Anderson, E. G. Kauffman, R. N. Ginsburg, N. P. James (review) 1 201
128. WEBB, G. R., A. LOGAN, and J. P. A. NOBLE, Occurrence and significance of brooded larva in a Recent brachiopod, Bay of Fundy, Canada 5 869
129. WELCH, J. R., *Phosphannulus* on Paleozoic crinoid stems 2 218
WELSHENBAUGH, J., see FELDMANN, R. M. (28)
WILDE, G., see JEFFORDS, R. (48)
WINTER, H. F., see SHOURD, M. L. (104)
130. WOODARD, G. D., and L. F. MARCUS, Reliability of late Pleistocene correlation using C-14 dating: Baldwin Hills—Rancho La Brea, Los Angeles, California .. 1 128
131. WOODRING, W. P., A massive Oligocene (?) Pycnodonteine oyster from Costa Rica 5 851
132. YANCEY, T. E., Biostratigraphic Zonation of the Rat Buri Limestone in the Khao Phlong Phrab Area, Sara Buri, central Thailand, by R. Toriyama, K. Kanmera, S. Kaewbaidhoam and A. N. Hongnusonthi (review) 4 765
133. YANCEY, T. E., Fusuline Fossils from Thailand, Part IX, Permian Fusulines from the Rat Buri Limestone in the Khao Phlong Phrab Area, Sara Buri, central Thailand, by R. Toriyama (review) 4 765
YANCEY, T. E., see STRIMPLE, H. L. (110)
134. YOCHELSON, E. L., and M. GORDON, JR., Chesterian (Upper Mississippian) Gastropoda of the Illinois Basin, by Myint Lwin Thein and Matthew H. Nitecki (review) 3 546
ZANGERL, R., see KELLY, M. A. (54)
135. ZIDEK, J., A new shark egg capsule from the Pennsylvanian of Oklahoma, and remarks on the chondrichthyan egg capsules in general 5 907

SUBJECT INDEX

Alabama: Foraminifera, Upper Cretaceous (71)
Algae: late Precambrian, Canada (83); Precambrian, Belt Supergroup, Montana (125)
Algal mats: Holocene, compared with Precambrian stromatolites (32)
Ammonoidea: provincialism (33)
Ammonites: Cretaceous, Washington (126); Mesozoic, recent literature (35)
Amphisbaenian: Oligocene-Miocene, Oregon (6)
Ancillotoechia berryi: new species, brachiopod (102)
Anomaloria glomerosa: new species, Brachiopoda (34)
Antarctica: trace fossils, Jurassic, nonmarine (113)
Anteater: Colombia, Miocene (40)
Apiroschadon: new genus, phytoplankton (63)
Archochitin raymondi: new genus and new species, chiton (43)
Argentina: Brachiopoda, Silurian (47); Patagonia, fossil mammal localities, Miocene (69); *Pisanosaurus mertii* and origin of Ornithischia (11)
Arizona: Pennsylvanian fauna (12); Recent atherinid fish, Pliocene (121)
Association: *Lingula-Helolites*, Silurian, Sweden (91)
Atlantic: eastern, Ostracoda, Cretaceous (112)
Australia: microfossils, Precambrian, electron microscopy (82); western, ?Foraminifera, Devonian (92)
Baja California: therian mammal, Cretaceous (62)
Belt Supergroup: algae, Montana (125)
Bibatiola costata: new genus and new species, Brachiopoda (34)
Biofacies: Devonian brachiopod, Nevada (51)
Biogeography: corals, Devonian (84); of *Pleurotomaria* (gastropod), Eocene, northeast Pacific (39)
Biostratigraphy: conodonts and graptolites, Ordovician, New York (56)
Bivalvia: Cretaceous, North Dakota and South Dakota (27); Devonian, hinge structures (97); evolution, *Tironucla* (76); *Glycymeris*, gastropod predation on (117); oyster, ?Oligocene, Costa Rica (131)
Borings: in Silurian brachiopods, Canadian Arctic (94)
Brachiopoda: authorship of taxa (3); brooded larva, Bay of Fundy, Canada (128); Cambrian, Rift Valley, Israel and Jordan (18); Devonian, *Antistrix*, a terebratulid (49); Devonian, Chonetid-Productid link (50); Devonian, Nevada (51); Permian, Thailand (34); Silurian, Argentina (47); Silurian, predatory borings in (94); Silurian, Utah (102)
Bryozoa: living cyclostomes, body wall structure (95); Pliocene, temperature implications (77); Trepostomata, four-sided zooids (10)
California: Carnivora, badger, Pliocene (124); conodonts, Devonian, Klamath Mountains (99); conodonts, Upper Cambrian (75); conodonts, Devonian (98); Gastropoda, Paleocene (78); mollusks, Eocene, San Diego County (31); pinaceous cones, Cretaceous (74); Pleistocene, C-14 dating (130); trace fossils, White-Inyo Mountains (1)
Callispirina austrina: new species, Brachiopoda (34)
Cambrian: brachiopoda, Rift Valley, Israel and Jordan (18); trace fossils, White-Inyo Mountains, California (1); trilobites, functional morphology (108); trilobites, Nevada (114); Upper, conodonts, stratigraphy, California (75)
Camsellia truncata: new genus and new species, trilobite (85)
Canada: algae, Precambrian (83); Bay of Fundy, brachiopod brooded larva (128); microflora, Precambrian, Belcher Islands (44); northwestern, trilobites, Devonian (85)
Canadian Arctic: borings in Silurian brachiopods (94); scaphopods, Permian (80)
Caricula salebrosa: new genus and new species, Brachiopoda (34)
Carnivora: badger, Pliocene, California (124)
Celebetes gymnus: new genus and new species, Brachiopoda (34)
Celebetes leptus: new species, Brachiopoda (34)
Cell division: algal mats and stromatolites (32)
Cenozoic: *Titanotylopus* (=*Gigantocamelus*), Great Plains (13)
Cetaceans: hearing, cochlear structure (29)
Chattertonia: new genus, brachiopod (50)
Chitins: Pennsylvanian, Ohio (43)
Chondrichthyes: *Megactenopetalus kaibabanus*, redescription (86)
Chondrites: Ordovician, Missouri (103)
Chonetinella cymatilis: new species, Brachiopoda (34)
Cleiothyridina seriata: new species, Brachiopoda (34)
Cleiothyridina tribulosa: new species, Brachiopoda (34)
Collection: vertebrate fossils, University of Missouri (53)
Collianossid: brood structure, trace fossil (19)
Colombia: anteater, Miocene (40); La Venta fauna, Miocene (41); marsupials, Miocene (68)

Colorado: *Esthonyx*, Eocene, Huerfano Formation (72)
Color pattern: gastropods, Oklahoma (107)
Communities: fossil, Ordovician, New York (120)
Composita advena: new species, Brachiopoda (34)
Composita dolabrata: new species, Brachiopoda (34)
Composita subsolana: new species, Brachiopoda (34)
Comuquia modesta: new genus and new species, Brachiopoda (34)
Conodonts: Devonian, California (98); Devonian, Klamath Mountains, California (99); Ordovician, biostratigraphy, New York (56); Silurian, Illinois (17); Upper Cambrian, California (75)
Cooperina polytretra: new species, Brachiopoda (34)
Corals: Devonian, biogeography (84); new corallite type, Ordovician (21); Rugosa, Devonian, New York (106); tabulate, Ordovician, septal development (52)
Corallite increase: cateniform corals, Ordovician (21)
Correlation: C-14 reliability, late Pleistocene (130)
Costa Rica: oyster, ?Oligocene (131)
Crassatellina hollandi: new species, Bivalvia (27)
Cretaceous: ammonites, Washington (126); Bivalvia, Fox Hills Formation, North Dakota and South Dakota (27); crab, Fox Hills Formation, North Dakota (28); Decapoda, Montana (9); dinosaur, England (30); Liverworts, Montana (14); ostracods, eastern Atlantic (112); pinaceous cones, California (74); therian mammal, Baja California (62); Upper, Foraminifera, Alabama (71)
Crinoidea: *Bathycrinus aldrichianus*, morphology and life habits (66); Devonian, Maryland (88); feeding behavior, Paleozoic (73); Missourian, Texas (109); Ordovician, Missouri (104); Ordovician, Wyoming (55); *Phosphannulus* on (129); preserved in magnetite, Indonesia (110); techniques for stereom of ossicles (58); tegmen of holothurian sclerites (57)
Crossopterygian fish: Devonian, Pennsylvania, faunal relations (118)
Cruricella couria: new species, Brachiopoda (34)
Crustacean: Pennsylvanian, new name for Peachella (100)
Cytherelloidea bertelsae: new species, Ostracoda (112)
Decapoda: Cretaceous, Montana (9); new crab species, Cretaceous, North Dakota (28)
Delotaxis confluens callahanensis: new subspecies, conodont (99)
Demonedys fastigiata: new genus and new species, Brachiopoda (34)
Derbyia scobena: new species, Brachiopoda (34)
Devonian: *Astrolepis*, Nevada (79); Bivalvia, hinge structures (97); Brachiopoda, *Antistrix*, a terebratulid (49); Brachiopoda, Chonetid-Productid link (50); Brachiopoda, Nevada (51); conodonts, California (98); (99); crinoids, Maryland (88); edrioasteroid, Utah (4); ?Foraminifera, western Australia (92); middle, corals, New York (106); rhipidistrian fish, Pennsylvania (118); rugose corals, biogeography (84); trilobites, northwestern Canada (85)
Dicaelosia johnsoni: new species, brachiopod (102)
Dimorphism: sexual, Protoceratops (22)
Dinosaur: Cretaceous, England (30)
Dinosaurs: *Thyanosaurus* and *Torosaurus*, Maestrichtian, Texas (59)
Dyschrestia spodia: new genus and new species, Brachiopoda (34)
Dyticonastis rensbergeri: new genus and new species, amphisbaenian (Reptilia) (6)
Echinodermata: Edrioasteroidea, ontogeny and phylogeny (5)
Echinoidea: Pennsylvanian, Ohio (42)
Edentata: anteater, Miocene, Colombia (40)
Edrioasteroidea: Devonian, Utah (4); ontogeny and phylogeny (5)
Egypt: Teleostei, endocranial casts, Eocene (26)
Eirmocrinus jeani: new species, crinoid (12)
Ekalakia lamberti: new genus and new species, Decapoda (9)
Electron microscopy: microfossils, Precambrian (82)
England: dinosaur, Cretaceous (30)
Eocene: *Esthonyx*, Huerfano Formation, Colorado (72); mollusks, California (31); *Pleurotomaria* (gastropod), biogeography and ecology, Pacific (39); rodents, India (96); Teleostei, endocranial casts, Egypt (26)
Eoentophysalis belcherensis: new genus and new species, microflora (44)
Eoplectodonta budgei: new species, brachiopod (102)
Eosynechococcus grandis: new genus and new species, microflora (44)
Eosynechococcus medius: new species, microflora (44)
Eosynechococcus moorei: new species, microflora (44)
Etacystis communis: new genus and new species, Animalia, phylum unknown (81)
Evolution: Bivalvia, *Tironucula* (76); Vermilingua, anteaters (40)
Fastigiella: Foraminifera, replaced by *Pannellaina*, new genus name (101)
Faunal content: estimation (119)

Feeding behavior: Paleozoic crinoids and Recent basket stars (73)
Fish: *Astrolepis*, Devonian, Nevada (79); Recent atherinid, Pliocene, Arizona (121); rhipidistrian, Devonian, Pennsylvania, faunal relations (118)
Foraminifera: Devonian, western Australia (92); *Pannellaina*, new genus name, substitute for *Fastigiella* (101); test structure, *Caterina* (20); Upper Cretaceous, Alabama (71)
Fulgoraria (*Psephaea*) *zinsmeisteri*: new species, Gastropoda (78)
Gallolestes pachymandibularis: new genus and new species, therian mammal (62)
Gastropoda: color pattern, *Naticopsis*, Oklahoma (107); Paleocene, southern California (78); *Pleurotomaria*, Eocene, biogeography and ecology, northeast Pacific (39)
Gastropod predation: on *Glycymeris* (Bivalvia) (117)
Globotruncana lunaris: new species, Foraminifera (71)
Globotruncana pustulifera: new species, Foraminifera (71)
Gnathorhiza bothrotreta: new species, lungfish (8)
Goleomixa acymata: new genus and new species, Brachiopoda (34)
Graptolites: Ordovician, biostratigraphy, New York (56)
Gratiosina insculpta: new genus and new species, Brachiopoda (34)
Great Plains: *Titanotylopus* (= *Gigantocamelus*), Cenozoic (13)
Growth and sexual dimorphism: *Protoceratops* (22)
Grypainia: new genus, algae (125)
Haydenella buravasi: new species, Brachiopoda (34)
Hearing: cetaceans, cochlera structure (29)
Hemicytherura? neali: new species, Ostracoda (112)
Hemiptychina desticata: new species, Brachiopoda (34)
Hemiptychina mintrita: new species, Brachiopoda (34)
Hemiptychina murrita: new species, Brachiopoda (34)
Hemphillian: *Barbourofelis fricki*, Nevada (50)
Heteralosia haerens: new species, Brachiopoda (34)
Heteralosia iphia: new species, Brachiopoda (34)
Heterohelix sphenoides: new species, Foraminifera (71)
Heterohelix stenopus: new species, Foraminifera (71)
Holocene: algal mats, compared with Precambrian stromatolites (32)
Holothurian: sclerites in crinoid tegmen (57)
Hondadelphys fieldsi: new genus and new species, marsupial (68)
Hustedia funaria: new species, Brachiopoda (34)
Illinois: conodonts, Silurian (17); Mazon Creek fossil of uncertain affinities, Pennsylvanian (81)
Incisiidae: new family, Brachiopoda (34)
Incisius concisus: new genus and new species, Brachiopoda (34)
India: rodents, Eocene (96)
Indonesia: a new crinoid, preserved in magnetite (110)
Insect feeding damage: oak leaf, Oligocene, Montana (61)
Insects: in ground sloth dung (123)
Insect wings: trace fossils (46)
Israel: brachiopoda, Cambrian (18)
Janeopsis sanmarcosensis: new species, gastropod (31)
John Day Formation: new amphisbaenian (Reptilia), Oregon (6)
Jordan: Brachiopoda, Cambrian (18)
Jurassic: nonmarine trace fossils, Antarctica (113)
Karpinsky to Schindewolf: memories (115)
Kozlowskia cornuta: new species, Brachiopoda (34)
Kozlowskia opipara: new species, Brachiopoda (34)
Kutorginella aprica: new species, Brachiopoda (34)
Lanceaforma striata: new genus and new species, algae (125)
Larva: brooded brachiopod, Bay of Fundy, Canada (128)
La Venta fauna: Miocene, Colombia, revised (41)
Lebensspuren: from insect wings (46)
Life habits: abyssal crinoids (66)
Linoproductus kaseti: new species, Brachiopoda (34)
Litocothia cateora: new genus and new species, Brachiopoda (34)
Liverworts: structure, Lower Cretaceous, Montana (14)
Lizard: Eocene, India (96)
Localities: fossil mammals, Miocene, Argentina (69)
Lungfish: Permian, cranial morphology (7); Permian, in burrows, New Mexico (8)
Maestrichtian: dinosaurs, Texas (59)
Majungaella? minuta: new species, Ostracoda (112)
Mammalia: *Barbourofelis fricki*, Hemphillian, Nevada (64); *Esthonyx*, Huerfano Formation, Eocene, Colorado (72); Miocene, localities, Argentina (69); Multituberculates, origin

(122); new genus of therian, Cretaceous, Baja California (62); Rodentia, Pleistocene, South Dakota (70)
Marginifera arenaria: new species, Brachiopoda (34)
Marginifera drastica: new species, Brachiopoda (34)
Marginifera nesiotes: new species, Brachiopoda (34)
Marginifera otaria: new species, Brachiopoda (34)
Marmosa laventica: new species, marsupial (68)
Marsupials: Miocene, Colombia (68)
Martiniopsis trimmata: new species, Brachiopoda (34)
Maryland: crinoids, Devonian (88)
Mazon Creek fossil: uncertain affinities, Pennsylvanian, Illinois (81)
Meekella addicta: new species, Brachiopoda (34)
Meekella bisculpta: new species, Brachiopoda (34)
Meekella colpata: new species, Brachiopoda (34)
Melasmatosphaera magna: new genus and new species, microflora (44)
Melasmatosphaera media: new species, microflora (44)
Melasmatosphaera parva: new species, microflora (44)
Mesozoic: ammonites, recent literature (35)
Metkamys blacki: new genus and new species, rodent (96)
Mexico: therian mammal, Cretaceous, Baja California (62)
Microflora: Precambrian, Canada, Belcher Islands (44)
Microorganisms: tests, preparation for electron microscopy (16)
Microscopy: transmission electron, microorganism tests (16)
Miocene: amphisbaenian, Oregon (6); La Venta fauna, Colombia (41); mammal localities, Argentina (69); marsupials, Colombia (68)
Miocene-Pliocene: siliceous phytoplankton, Pacific (37)
Missouri: *Chondrites*, Ordovician (103); crinoid, Ordovician (104); vertebrate fossil collection, University of Missouri (53)
Mollusca: Eocene, California, San Diego County (31)
Monomorphichnus multilineatus: new species, trace fossil (1)
Montana: algae, Precambrian, Belt Supergroup (125); Decapoda, Cretaceous (9); insect feeding damage, oak leaf, Oligocene (61); liverworts, Cretaceous (14); lower vertebrates, Paleocene (24)
Morphology: abyssal crinoids (66); functional, trilobites, Cambrian (108)
Mosovicrinus hoskingi: new species, crinoid (110)
Multituberculates: origin (122)
Muricopsis vistaensis: new species, gastropod (31)
Myalina (*Myalina*) *nacoensis*: new species, bivalve (12)
Naco Formation: Pennsylvanian, Arizona (12)
Nautiloids: Troedssonellidae, origin (45)
Necrocarcinus siouxensis: new species, Decapoda (28)
Nematocrania crassa: new genus and new species, Brachiopoda (34)
Neogene: *Glycymeris* (Bivalvia), gastropod predation on (117)
Neotamandua borealis: new species, Edentata, anteater (40)
Nevada: *Astrolepis*, fish, Devonian (79); Brachiopoda, Devonian (51); Radiolaria, Ordivician (23); trilobites, Cambrian (114)
New Mexico: lungfish, Permian, in burrows (8)
New York: conodont and graptolite biostratigraphy, Ordovician (56); corals, Devonian (106); fossil communities, Ordovician (120)
North Dakota: Bivalvia, Cretaceous, Fox Hills Formation (27); crab, Fox Hills Formation (28)
Nothooidium: new genus, phytoplankton (63)
Notothyris triplax: new species, Brachiopoda (34)
Ohio: chitins, Pennsylvanian (43); Echinoidea, Pennsylvanian (42)
Oklahoma: shark egg capsule, Pennsylvanian (135); sponges, lower Paleozoic (93); vertebrates, Ordovician (87)
Oligocene: amphisbaenian, Oregon (6); insect feeding damage, oak leaf, Montana (61); oyster, Costa Rica (131)
Oligopogonium: new genus, phytoplankton (63)
Ondatra annectens: muskrat, Pleistocene, South Dakota (70)
Ontogenetic development: Edrioasteroidea, phylogenetic implications (5)
Ordovician: *Chondrites*, Missouri (103); crinoid, Missouri (104); crinoids, Wyoming (55); fossil communities, New York (120); new corallite type, cateniform corals (21); Radiolaria, Nevada (23); tabulate corals, septal development (52); trilobites, *Cryptolithus*, Quebec (60); vertebrates, Oklahoma (87)
Oregon: amphisbaenian, Oligocene-Miocene (6)
Orientation: petrified trees, Yellowstone (15)
Origin: multituberculates (Mammalia) (122)
Orthotichia waterhousi: new species, Brachiopoda (34)

Ornithischia: origin (11)
Osteichthyes: lungfish, Permian, cranial morphology (7); lungfish, Permian, in burrows, New Mexico (8)
Ostracods: Cretaceous, eastern Atlantic (112)
Pacific: northeast, *Pleurotomaria* (gastropod), Eocene (39); siliceous phytoplankton, Miocene-Pliocene (37)
Palaeoxyris lewisi: n. sp., shark egg capsule (135)
Paleocene: Gastropoda, southern California (78); lower vertebrates, Montana (24)
Paleontologists: Karpinsky to Schindewolf (115)
Paleontology: phylogenetic inference (30)
Paleotemperature: Bryozoa, Pliocene (77)
Paleozoic: Bryozoa, four-sided zooids (10); crinoids, feeding behavior (73); lower, sponges, Utah and Oklahoma (93); *Phosphannulus*, on Crinoids (129)
Pannellaina: new genus name, Foraminifera, substitute for *Fastigiella* (101)
Paraconularia kohli: new species, Conularia (12)
Paralyttonia tenax: new species, Brachiopoda (34)
Paraspiriferina gentilis: new species, Brachiopoda (34)
Peachocaris: new genus name for *Peachella*, crustacean (100)
Pedinodechenella holoccipitis: new species, trilobite (85)
Pennsylvania: rhipidistian fish, Devonian (118)
Pennsylvanian: chitins, Ohio (43); crinoid, Texas (109); Echinoidea, Ohio (42); fauna, Arizona (12); Mazon Creek fossil, Illinois (81); shark egg capsule, Oklahoma (135)
Perigeyerella tricosa: new species, Brachiopoda (34)
Permian: Brachiopoda (34); Chondrichthyes, redescription of *Megatenopetalus kaibabanus* (86); crinoid, Indonesia (110); lungfish, cranial morphology (7); lungfish, in burrows, New Mexico (8); scaphopods, Canadian Arctic (80), shark, west Texas (54)
Permophricodothyris notialasiatica: new species, Brachiopoda (34)
Petalambicrinus craddocki: new genus and new species, crinoid (109)
Petrified trees: orientation, Yellowstone (15)
Phosphannulus: on Paleozoic crinoids (129)
Phylogenetic inference: in paleontology (36)
Phytoplankton: new organic-walled (63); siliceous, Miocene-Pliocene, Pacific (37)
Pinaceous cones: Cretaceous, California (74)
Pityostrobus ramentosa: new species, pine cone (74)
Pityostrobus shastaensis: new species, pine cone (74)
Plant fossil: *Sanmiguelia*, Triassic, Texas (2)
Pleistocene: correlation, C-14 dating reliability (130); Rodentia, South Dakota (70)
Pleurotomaria: Eocene, biogeography and ecology, Pacific (39)
Pleurotomaria baldwini: new species, gastropod (39)
Pleurotomaria schencki: new species, gastropod (39)
Pleurotomaria siletzensis: new species, gastropod (39)
Pleurotomaria vacavillensis: new species, gastropod (39)
Pliocene: *Barbourofelis fricki*, Nevada (64); Bryozoa, temperature implications (77); Carnivora, badger, California (124); Recent atherinid fish, Arizona (121)
Pliotaxidea garberi: new species, Carnivora, badger (124)
Polygnathus kennettensis: new species, conodont (98)
Pontisia exoria: new species, Brachiopoda (34)
Population systematics: trilobites, *Cryptolithus*, Quebec (60)
Porocrinus plattinensis: new species, crinoid (104)
Postibulla lukei: new species, edrioasteroid (4)
Precambrian: algae, Belt Supergroup, Montana (125); algae, Canada (83); microflora, Canada, Belcher Islands (44); microfossils, electron microscopy (82); stromatolites, compared with Holocene algal mats (32)
Prodentalium belcheri: new species, scaphopod (80)
Proterotainia montana: new genus and new species, algae (125)
Provincialism: Ammonoidea (33)
Pseudoguembelina costellifera: new species, Foraminifera (71)
Pseudoguembelina polypleura: new species, Foraminifera (71)
Pseudotextularia browni: new species name, Foraminifera (71)
Pycnodonte (*Crenostrea*) *segurai*: new species, Bivalvia (131)
Quebec: trilobites, Ordovician (60)
Radiolaria: Ordovician, Nevada (23)
Rajaurisaurus estesi: new genus and new species, lizard (96)
Ramavectus pumwarni: new species, Brachiopoda (34)
Recent: atherinid fish, Pliocene, Arizona (121)
Reptilia: amphisbaenian, Oligocene-Miocene, Oregon (6); *Protoceratops*, growth and sexual dimorphism (22)
Retimarginifera celeteria: new species, Brachiopoda (34)

Rhicnonema antiquum: new genus and new species, microflora (44)
Rhipidomella cordialis: new species, Brachiopoda (34)
Rigbyella crassa: new species, Brachiopoda (34)
Rodents: Eocene, India (96)
Rusophycus radwanski: new species, trace fossil (1)
Salopina boucoti: new species, brachiopod (102)
Salvage: paleontological, federal legislation (67)
Sampling method: estimation of faunal content (119)
Schackonia sellaeforma: new species, foraminifera (71)
Scaphopods: Permian, Canadian Arctic (80)
Schindewolf: Karpinsky to, memories (115)
Schuchertella cooperi: new species, Brachiopoda (34)
Septal development: tabulate corals, Ordovician (52)
Shark egg capsule: Pennsylvanian, Oklahoma (135)
Shark: *Helicoprion*, Permian, Texas (54)
Silurian: borings in brachiopods, Canadian Arctic (94); Brachiopoda, Argentina (47); Brachiopoda, Utah (102); conodonts, Illinois (17); *Lingula-Helolites* association, Sweden (91)
Siphonalia vistaensis: new species, gastropod (31)
South America: anteater, Miocene, Colombia (40); La Venta fauna, Miocene, Colombia (41); marsupials, Miocene, Colombia (68)
South Dakota: Bivalvia, Cretaceous, Fox Hills Formation (27); Rodentia, Pleistocene (70)
Spiriferellina yanagidai: new species, Brachiopoda (34)
Sponges: lower Paleozoic, Utah and Oklahoma (93)
Statistical analysis: distribution of siliceous phytoplankton, Pacific (37)
Stenocisma tetricum: new species, Brachiopoda (34)
Stereochia litostyla: new genus and new species, Brachiopoda (34)
Stereographs: X-ray, small specimens (65)
Stictozoster leptus: new genus and new species, Brachiopoda (34)
Streptorhynchus khwaense: new species, Brachiopoda (34)
Streptorhynchus sulculatum: new species, Brachiopoda (34)
Stromatolites: Precambrian, compared with Holocene algal mats (32)
Structures: corals, Devonian, New York (106)
Sweden: *Lingula-Heliolites* association, Silurian (91)
Taconic allochthon: biostratigraphy, Ordovician (56)
Tajaroceras wardae: new genus and new species, Nautiloid (45)
Techniques: estimation of faunal content (119); preparation of thin-foil specimens, electron microscopy (16); stereom of crinoid ossicles (58); transmission, electron microscopy, microfossils, Precambrian (82); X-ray stereographs, small specimens (65)
Teleostei: endocranial casts, Egypt (26)
Terebratuloidea mimula: new species, Brachiopoda (34)
Test structure: Foraminifera (20)
Texas: crinoid, Missourian (109); dinosaurs, Maestrichtian (59); plant fossil, Triassic (2); shark, Permian (54)
Thailand: Brachiopoda, Permian (34)
Tipispirifer oppilatus: new genus and new species, Brachiopoda (34)
Tironucula jugata: new genus and new species, Bivalvia (76)
Titanotylopus: = *Gigantocamelus*, Cenozoic, Great Plains (13)
Tornquistia tropicalis: new species, Brachiopoda (34)
Trace fossils: brood structure (19); *Chondrites*, Ordovician, Missouri (103); from insect wings (46); nonmarine, Jurassic, Antarctica (113); star-like, California (1)
Triassic: plant fossils, Texas (2)
Trilobita: and trace fossils, California (1); Cambrian, functional morphology (108); Cambrian, Nevada (114); *Cryptolithus*, Ordovician, Quebec (60); Devonian, northwestern Canada (85)
Trunculumarium: new genus, phytoplankton (63)
Uncinunellina mitigata: new species, Brachiopoda (34)
Uncinella siamestris: new species, Brachiopoda (34)
Uraloporella: ?Foraminifera, Devonian, Australia (92)
Urushtenia arguta: new species, Brachiopoda (34)
Urushtenia murina: new species, Brachiopoda (34)
Utah: Brachiopoda, Silurian (102); edrioasteroid, Devonian (4); sponges, lower Paleozoic (93)
Vanport Limestone: Pennsylvanian, Bryozoa (42)
Vardovella: new genus, phytoplankton (63)
Veenia (*Veenia*) *guianensis*: new species, Ostracoda (112)
Vertebrates: fossil collection, University of Missouri (53); Montana, Paleocene (24); Ordovician, Arbuckle Mountains, Oklahoma (87)

Villosacapsula: new genus, phytoplankton (63)
Wall structure: Bryozoa, living cyclostomes (95)
Washington: ammonites, Cretaceous, Orcas Island (126)
Wyoming: crinoids, Ordovician, Bighorn Formation (55)
Yellowstone Park: petrified trees, orientation (15)